



6" BLOWN CELLULOSE INSULATION OVER R-38 BATT INSULATION

FIBERGLASS SHINGLES OVER #15 FELT OVER 5/8" ROOF SHEATHING OVER WOOD TRUSSES @ 24" O.C. WITH 48" PROPER VENT @ EA. TRUSS

GUTTER

20'-1 1/2" AFF TRUSS BEARING

PRE-FINISHED ALUM. FASCIA FULLY VENTED ALUMINUM SOFFIT.

HVAC DUCTWORK  
 1/2" GYP. BOARD CEILING OVER 1/2" PLYWOOD  
 5/8" GYP. BD. LINED CHASE AT DUCTWORK

EIFS FINISH OVER 3" EPS OVER CMU

CMU W/ THERMAL MASONRY FOAM FILL INSULATION, TYP. AT EXTERIOR WALLS. PAINT.

2 / 5.1

FIBERGLASS SHINGLES OVER #15 FELT OVER 5/8" ROOF SHEATHING OVER WOOD TRUSSES @ 24" O.C. WITH ATTIC BAFFLE AT EVERY TRUSS

12'-9 1/2" AFF TRUSS BEARING

6" BLOWN CELLULOSE INSULATION OVER R-38 BATT INSULATION

12  
8